

WEST Search History

[Hide Items](#)[Restore](#)[Clear](#)[Cancel](#)

DATE: Saturday, October 30, 2004

Hide?	Set Name	Query	Hit Count
	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI; PLUR=YES; OP=ADJ</i>		
<input type="checkbox"/>	L9	l5 and pyridyl	26
<input type="checkbox"/>	L8	l5 and pyrydyl	0
<input type="checkbox"/>	L7	L6 and -OH!	27
<input type="checkbox"/>	L6	L5 and pyridi\$10	86
<input type="checkbox"/>	L5	muramatsu.inv.	13251
	<i>DB=USPT; PLUR=YES; OP=ADJ</i>		
<input type="checkbox"/>	L4	L3 and inflammation	4
<input type="checkbox"/>	L3	L2 and ionene	74
<input type="checkbox"/>	L2	L1 and polymer	62361
<input type="checkbox"/>	L1	polyethylene glycol	105130

END OF SEARCH HISTORY

10051765

d his

(FILE 'HOME' ENTERED AT 13:56:30 ON 30 OCT 2004)

FILE 'REGISTRY' ENTERED AT 13:57:57 ON 30 OCT 2004

L1 STRUCTURE UPLOADED

L2 5 S L1

FILE 'CA, CAPLUS, IFICDB, IFIPAT, IFIUDB, TOXCENTER, USPATFULL' ENTERED
AT 14:03:02 ON 30 OCT 2004

L3 31 S L2

L4 4694 S IONENE

L5 0 S L4 AND L3

L6 163998 S POLYETHYLENE(W) GLYCOL OR PEG

L7 0 S L3 AND L6

blessing

\approx

L1 STRUCTURE UPLOADED

L1 HAS NO ANSWERS

The chemical structure shows two pyridine rings connected at their 4-positions by a 1,4-bis(4-phenyl)benzene linker. Each pyridine ring has a nitrogen atom at the 1-position, which is substituted with a long alkyl chain. The linker consists of a central benzene ring with phenyl groups at the 1 and 4 positions, connected to the 4-positions of the pyridine rings.

=> s 11

```
100.0% PROCESSED      103 ITERATIONS
SEARCH TIME: 00.00.01
```

5 ANSWERS

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**

PROJECTED ITERATIONS:	1452 TO	2668
PROJECTED ANSWERS:	5 TO	234


L2 5 SEA SSS SAM L1

=> d 12 1-5


L2 ANSWER 1 OF 5 REGISTRY COPYRIGHT 2004 ACS on STN
RN 770703-06-5 REGISTRY
CN Poly(pyridinium-1,4-diyl-1,3-propanediylpyridinium-4,1-diyl-1,9-
nonanediyl) (9CI) (CA INDEX NAME)
MF (C22 H32 N2)n
CI PMS, COM
PCT Polyother, Polyother only
SR CA

blessing

10051765




L2 ANSWER 2 OF 5 REGISTRY COPYRIGHT 2004 ACS on STN
RN 158446-48-1 REGISTRY
CN Poly(pyridinium-1,4-diyl-1,3-propanediylpyridinium-4,1-diyl-1,8-octanediyl) (9CI) (CA INDEX NAME)
MF (C21 H30 N2) n
CI PMS, COM
PCT Polyother, Polyother only
SR CA



L2 ANSWER 3 OF 5 REGISTRY COPYRIGHT 2004 ACS on STN
RN 82539-62-6 REGISTRY
CN Pyridinium, 4,4'-(1,3-propanediyl)bis[1-propyl- (9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C19 H28 N2
CI COM

blessing


10051765



L2 ANSWER 4 OF 5 REGISTRY COPYRIGHT 2004 ACS on STN
RN 82539-55-7 REGISTRY
CN Pyridinium, 4,4'-(1,3-propanediyl)bis[1-ethyl-, salt with
2,2'-(2,5-cyclohexadiene-1,4-diylidene)bis[propanedinitrile] (1:5) (9CI)
(CA INDEX NAME)
OTHER CA INDEX NAMES:
CN Propanedinitrile, 2,2'-(2,5-cyclohexadiene-1,4-diylidene)bis-, radical
ion(1-), 4,4'-(1,3-propanediyl)bis[1-ethylpyridinium] (2:1), compd. with
2,2'-(2,5-cyclohexadiene-1,4-diylidene)bis[propanedinitrile] (1:3) (9CI)
MF C17 H24 N2 . 3 C12 H4 N4 . 2 C12 H4 N4
LC STN Files: CA, CAPLUS
DT.CA CAPLUS document type: Journal
RL.NP Roles from non-patents: PRP (Properties)

CM 1

CRN 1518-16-7
CMF C12 H4 N4



CM 2


CRN 82539-54-6
CMF C17 H24 N2 . 2 C12 H4 N4

CM 3

CRN 82539-53-5
CMF C17 H24 N2

blessing

10051765




CM 4

CRN 34507-61-4

CMF C12 H4 N4

CCI RIS



1 REFERENCES IN FILE CA (1907 TO DATE)

1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 5 OF 5 REGISTRY COPYRIGHT 2004 ACS on STN

RN 39641-58-2 REGISTRY

CN Pyridinium, 4,4'-(1,3-propanediyl)bis[1-dodecyl-, dimethanesulfonate (9CI)
(CA INDEX NAME)

MF C37 H64 N2 . 2 C H3 O3 S

LC STN Files: CA, CAPLUS, IFICDB, IFIPAT, IFIUDB, TOXCENTER, USPATFULL

DT.CA Cplus document type: Patent

RL.P Roles from patents: PREP (Preparation)


CM 1

CRN 47813-24-1

CMF C37 H64 N2

blessing


10051765



CM 2

CRN 16053-58-0

CMF C H3 O3 S



2 REFERENCES IN FILE CA (1907 TO DATE)
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

blessing